

Patient Signature (parent or guardian if patient is under 18)

4527 E 82nd Street Indianapolis, IN 46250 317-528-6374

PLEASE PRINT AND FILL OUT COMPLETELY

Name:	Birthdate:	Age:	Gende	er: M or F		
Address:	City:	State:	:	Zip:		
Home Phone/ Cell Phone:	Race	e:				
Insurance Company:Policy Holders name:	P	Policy#				
Policy Holders name:	D.O.B	Relationship:				
Medical History: The following will help your ability.						
1. Are you Pregnant or planr	ning a pregnancy in the next	4 weeks?	YES	NO		
2. Are you currently ill with a	2. Are you currently ill with a fever, vomiting or diarrhea?					
Heart or Organ Transplant, an immunoc	uberculosis, Multiple Sclerosis, Thro SF leak Cochlear implant, Leukemia ompromising condition, or Receivin	a, Lymphoma, HIV/AIDS, Open	YES	NO		
Antibiotics or radiation? 4. Do you have a history of t	hymus disease (including my	vasthenia gravis)?(YE only)	YES	NO		
5. Have you received blood/			YES	NO		
weeks?	,					
6. Have you ever fainted, be immunization?	came dizzy or had a serious r	reaction after an	YES	NO		
	7. Have you ever had a seizure disorder for which you require medication, a brain Disorder, Guillain-Barre Syndrome or any other nervous system disorder?					
8. Are you allergic to any me (such as eggs, bovine protein,toxoio or formaldehyde)	dications, foods or vaccines	and their components?	YES	NO		
ACKNOWLEDGEMENT/ RELEASE OF LIABIL	ITY AND CONSENT TO RECE	IVE IMMUNIZATION(S):				
WRITTEN MD APPROVAL IS REQUIRED FOR APPROVAL FOR PERSONS WITH MULTIPLE REQUIRE MD APPROVAL FOR PERSONS WI	CHILDREN UNDER THE AGE OF 8 YI SCLEROSIS, CHILDREN UNDER 9 YEA	EARS FOR POLIO, RABIES AND MM				
I HAVE READ OR HAVE BEEN OFFERED A CO ASK QUESTIONS AND I UNDERSTAND ALL T	OPY OF THE CURRENT VACCINE INFO		ACCINATION. I	I HAVE HAD A CHANCE TO		
 I AGREE TO STAY IN THE AREA FOR 15 MIN THAT IF I EXPERIENCE ANY SIDE EFFECTS IT INCLUDE BURNING, SWELLING, WHEAL, TE VOMITING, HEADACHE, ARTHRITIS, MALAI CONVULSIONS. 	WILL BE MY RESPONSIBILITY TO GO INDERNESS OR BLISTERING AT SITE.	OLLOW UP WITH MY PHYSICAN AT . GENERAL REACTIONS MAY INCLU	MY EXPENSE. IDE FEVER, FAT	LOCAL REACTIONS MAY TIGUE, DIARRHEA, NAUSEA,		
 I UNDERSTAND THE VACCINE IS BEING PRO ORGANIZATION AND INDIVIDUAL GIVING TO PROVIDER AND ITS EMPLOYEES FROM ANY VACCINE(S) IN THEIR FACILITIES. 	THE VACCINE(S). I, FOR MYSELF, MY	Y HEIRS, EXECUTORS AND ASSIGNS	HEREBY AGRE	E TO RELEASE THE SITE		
 I HAVE READ THIS CONSENT AND I AUTHO WHICH I AM AUTHORIZED TO SIGN. 	RIZE FRANCISCAN WORKINWELL TO) GIVE THE ABOVED NAMED VACCI	NE TO ME OR	THE PERSON NAMED FOR		
I ACKNOWLEDGE THAT SOME VACCINES RI	EQUIRE MULTIPLE DOSES AND/OR L	UP TO 2 WEEKS TO RECEIVE FULL P	ROTECTION.			
X						
Patient Signature (parent or guardian if patie	·	d/Read HIPAA Privacy Practi		Date		
Additional lines are for second a	nd third dose consent; please	e let us know if any informa	tion above l	nas changed.		
X	nt is under 18) Offered	d/Read HIPAA Privacy Practi	ces –	Date		

Offered/Read HIPAA Privacy Practices

Date

VACCINE	DOSAGE	SITE	LOT#	EXP DATE	VIS	SIGNATURE/DATE
DTAP (Infanrix) should get 5 doses Dosage: 2 months,4 months, 6months,15-18 months, 4-6 years	0.5 CC IM					
CHICKEN POX (VARICELLA) LIVE first dose at 12 through 15 months old second dose at 4 through 6 years	0.5 CC SUBQ					
FLU SHOT OR FLUMIST	0.5 CC IM					
HEPATITIS A (Havrix) 12 months & up	0.5 CC IM					1
Dosage: now and 6-12 months						2
HEPATITIS B (Engerix B)	0.5 CC IM					1
Dosage: now, 1 month, 6 month						2
						3
PCV13 (PREVNAR13)	0.5 CC IM					1
Dosage 2,4,6,12-15 months						2
24 months and up to 6 th birthday never had vaccine they should only receive <u>1 dose</u>						3
						4
HPV9 (Gardasil9)	0.5 CC IM					1
can start at age 9 Dosage: now, 2 months, 6 months						2
						3
Meningococcal Group B (BEXSERO)	0.5 CC IM					1
Dosage: month apart						2
MCV4 (Menactra) Dosage: Two doses: the first dose at 11 or 12	0.5CC IM					1
years of age, with a booster dose at age 16.						2
MMR First Dose: 12-15 months of age	0.5 CC SUBQ					1
Second Dose: 4-6 years of age (may be given earlier, if at least 28 days after the 1st dose						2
MMR-V (ProQuad) Do not give if: history of anaphylactic reaction to	0.5 CC SUBQ					1
neomycin or hypersensitivity to gelatin						2
Tdap (Boostrix, Adacel) 10 years and older	0.5 CC IM					